Manual Calculations

- 2-1 Basic Calculations
- 2-2 Special Functions
- 2-3 Function Calculations

2-1 Basic Calculations

Arithmetic Calculations

- Enter arithmetic calculations as they are written, from left to right.
- Use the (-) key to input the minus sign before a negative value.
- Calculations are performed internally with a 15-digit mantissa. The result is rounded to a 10-digit mantissa before it is displayed.
- For mixed arithmetic calculations, multiplication and division are given priority over addition and subtraction.

Example	Operation	Display
23 + 4.5 - 53 = -25.5	23 + 4.5 - 53 EXE	-25.5
$56 \times (-12) \div (-2.5) = 268.8$	56 ★ (-) 12 ÷ (-) 2.5 EXE	268.8
$(2+3) \times 10^2 = 500$	(2+3) X 1 EXP 2 EXE *1	500
$1 + 2 - 3 \times 4 \div 5 + 6 = 6.6$	1 + 2 - 3 × 4 ÷ 5 + 6 EXE	6.6
$100 - (2 + 3) \times 4 = 80$	100 — (2+3) X4 EXE	80
$2 + 3 \times (4 + 5) = 29$	2 + 3 × (4 + 5 EXE *2	29
$(7-2) \times (8+5) = 65$	(7-2) (8+5) EXE*3	65
$\frac{6}{4\times5} = 0.3$	6 ∴ (4 x 5) EXE*4	0.3

^{*1 &}quot;(2 + 3) [22] does not produce the correct result. Be sure to enter this calculation as shown.

$\underset{\mathsf{P}6}{\overset{\frown}{\bigcirc}}$

1

Number of Decimal Places, Number of Significant Digits, Exponential Notation Range

- These settings can be made while setting up the display format (Display) with the set up screen.
- Even after you specify the number of decimal places or the number of significant digits, internal calculations are still performed using a 15-digit mantissa, and displayed values are stored with a 10-digit mantissa. Use Rnd (F4) of the Numeric Calculation Menu (NUM) to round the displayed value off to the number of decimal place and number of significant digit settings.

P.43

^{*2} Final closed parentheses (immediately before operation of the 🖼 key) may be omitted, no matter how many are required.

^{*3} A multiplication sign immediately before an open parenthesis may be omitted.



- Number of decimal place (Fix) and number of significant digit (Sci) settings normally remain in effect until you change them or until your change the exponential display range (Norm) setting. Note also, however, that Sci setting is automatically initialized to Norm 1 whenever you enter the Financial Mode.
- To change the exponential display range (Norm) setting, press [3] (Norm) while the display format (Display) menu is on the screen. Each time you perform this operation, the range toggles between the following two settings.

Norm 1 exponential display for values outside the range of 10^{-2} to 10^{10} Norm 2 exponential display for values outside the range of 10^{-9} to 10^{10}

Example 100 ÷ 6 = 16.66666666...

Condition	Operation	Display
	100 → 6 🗷	16.6666667
4 decimal places	SHIF SETUP V V V V V V V V V V V V V V V V V V V	16.666 ^{*1}
5 significant digits	SHIT SETUP ♥ ♥ ♥ ♥ ♥ ♥ ♥ ▼ F2 (Sci) F6 (▷) F1 (5) EXIT EXE	1.6667 ^{*1} ∈+01
Cancels specification	SHIFT STUP OF	16.66666667

^{*1} Displayed values are rounded off to the place you specify.

Example 200 ÷ 7 × 14 = 400

Condition	Operation	Display
	200 ₹7 🗙 14 🖾	400
3 decimal places	SHIFE STUP Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	400.000
Calculation continues using display capacity of 10 digits	200 → 7 ※	28.571 Ans×_
	14 EXE	400.000

• If the same calculation is performed using the specified number of digits:

	200 🕂 7 🕮	28.571
The value stored		
internally is cut off to	(OPTN) (F6) (▷)	
the number of	F4 (NUM) F4 (Rnd) EXE	28.571
decimal places you	_ ` , _ ` , _ ` \ \	Ans×
specify.	14 EXE	399.994
	I	

■ Calculations Using Variables

Example	Operation	Display
	193.2 → ALPHA A EXE	193.2
$193.2 \div 23 = 8.4$	ALPHA A ÷ 23 EXE	8.4
$193.2 \div 28 = 6.9$	ALPHA A ÷ 28 EXE	6.9

2-2 Special Functions

Answer Function

The unit's Answer Function automatically stores the last result you calculated by pressing (unless the (exe key operation results in an error). The result is stored in the answer memory.

•To use the contents of the answer memory in a calculation

Example
$$123 + 456 = \underline{579}$$


 $789 - \underline{579} = 210$

123+456	579
789-Ans	
	210

- The largest value that the answer memory can hold in any mode besides the ALGBR Mode is one with 15 digits for the mantissa and 2 digits for the exponent.
- Answer memory contents are not cleared when you press the AC key or when you switch power off.
- Note that answer memory contents are not changed by an operation that assigns values to value memory (such as: ⑤ → 凞孙 A ﷺ).

■ Performing Continuous Calculations

The unit lets you use the result of one calculation as one of the arguments in the next calculation. To do so, use the result of the previous calculation, which is currently stored in Answer Memory.





Continuous calculations can also be used with Type A functions $(x^2, x^1, x!)$, +, -, $^{(x^3)}$, x , $^{(x^3)}$, $^{(x^3)}$.

Using the Replay Function

The Replay Function automatically stores the last calculation performed into replay memory. You can recall the contents of the replay memory by pressing \bigcirc or \bigcirc .

If you press (), the calculation appears with the cursor at the beginning. Pressing () causes the calculation to appear with the cursor at the end. You can make changes in the calculation as you wish and then execute it again.

Example

To perform the following two calculations

 $4.12 \times 6.4 = 26.368$

 $4.12 \times 7.1 = 29.252$

AC 4 • 1 2 X 6 • 4 EXE	4.12×6.4	26.368
$\odot \odot \odot \odot$	4.12× <u>6</u> .4	
7 • 1	4.12×7.1_	
EXE	4.12×7.1	29.252

- A calculation remains stored in replay memory until you perform another calculation or change modes.
- The contents of the replay memory are not cleared when you press the AC
 key, so you can recall a calculation and execute it even after performing the all
 clear operation. Note, however, that replay memory contents are cleared
 whenever you change to another mode or menu.
- After you press , you can press or to recall previous calculations, in sequence from the newest to the oldest (Multi-Replay Function). Once you recall a calculation, you can use and to move the cursor around the calculation and make changes in it to create a new calculation. Note, however, that multi-replay memory contents are cleared whenever you change to another menu.

Example

ole		
AC 1 2 3 + 4 5 6 EXE 2 3 4 - 5 6 7 EXE	123+456 234-567	579 -333
AC	-	
(One calculation back)	234-567	
♠ (Two calculations back)	123+456	

Ma

ERROR

Making Corrections in the Original Calculation

Example $14 \div 0 \times 2.3$ entered by mistake for $14 \div 10 \times 2.3$

> AC 1 4 ÷ 0 × 2 · 3 EXE 14/0×2.3

> Press
> or
> . 14/0×2.3 Cursor is positioned automatically at the

Make necessary changes.

location of the cause of the error.

SHIFT [INS 1 14/10/2.3

Execute it again.

EXE 14/10×2.3

Using Multistatements

Multistatements are formed by connecting a number of individual statements for sequential execution. You can use multistatements in manual calculations and in programmed calculations. There are two different ways that you can use to connect statements to form multistatements.

• Colon (:)

Statements that are connected with colons are executed from left to right, without stopping.

Display Result Command (▲)

When execution reaches the end of a statement followed by a display result command, execution stops and the result up to that point appears on the display. You can resume execution by pressing the EXE key.

2 - 2 Special Functions

Example 6.9 × 123 = 848.7

123 ÷ 3.2 = 38.4375

AC 1 2 3 → ALPHA A SHIFT PROM F6 (▷)

F5 (:) 6 • 9 × ALPHA A SHIFT PROM

F5 (.) A | ALPHA A ÷ 3 • 2 EXE

Intermediate result at point where "A" is used.

EXE

123 ÷ R: 6.9 × R.

R48. 7

38. 4375

- Note that the final result of a multistatement is always displayed, regardless of whether it ends with a display result command.
- You cannot construct a multistatement in which one statement directly uses the result of the previous statement.



2-3 Function Calculations

■ Function Menus

This calculator includes five function menus that give you access to scientific functions that are not printed on the key panel.

 The contents of the function menu differ according to the mode you entered from the Main Menu before you pressed the print key. The following examples show function menus that appear in the RUN or PRGM Mode.

Hyperbolic Calculations (HYP)

[OPTN]-[HYP]

- {sinh}/{cosh}/{tanh} ... hyperbolic {sine}/{cosine}/{tangent}
- {sinh-1}/{cosh-1}/{tanh-1} ... inverse hyperbolic {sine}/{cosine}/{tangent}

Probability/Distribution Calculations (PROB) [OPTN]-[PROB]

- $\{x!\}$... {press after inputting a value to obtain the factorial of the value.}
- {nPr}/{nCr} ... {permutation}/{combination}
- {Ran#}... {pseudo random number generation (0 to 1)}
- {**P**()/{**Q**()/{**R**(} ... probability {P(t)}/{Q(t)}/{R(t)}
- {t(} ... {value of normalized variate t(x)}

Numeric Calculations (NUM)

[OPTN]-[NUM]

- {Abs} ... {select this item and input a value to obtain the absolute value of the value.}
- {Int)/{Frac} ... select the item and input a value to extract the {integer}/ {fraction} part.
- {Rnd} ... {rounds off the value used for internal calculations to 10 significant digits (to match the value in the Answer Memory), or to the number of decimal places (Fix) and number of significant digits (Sci) specified by you.}
- {Intg} ... {select this item and input a value to obtain the largest integer that is not greater than the value.}



Angle Units, Coordinate Conversion, Sexagesimal Operations (ANGL) [OPTN]-[ANGL]

- {°}/{r}/{g} ... {degrees}/{radians}/{grads} for a specific input value
- {° ', "} ... {specifies degrees (hours), minutes, seconds when inputting a sexagesimal value}
- {o, "} ... {converts decimal value to sexagesimal value}
- The { `` "} menu option appears only when there is a calculation result shown on the display.
- {Pol(}/{Rec(} ... {rectangular-to-polar}/{polar-to-rectangular} coordinate conversion

Engineering Notation Calculations (ESYM)

[OPTN]-[ESYM]

- {m}/{µ}/{n}/{f} ... {milli (10-3)}/{micro (10-6)}/{nano (10-9)}/{pico (10-12)}/ {femto (10⁻¹⁵)}
- {k}/{M}/{G}/{T}/{P}/{E} ... {kilo (103)}/{mega (106)}/{giga (109)}/{tera (1012)}/ {peta (1015)}/{exa (1018)}
- {ENG}/{ENG} ... shifts the decimal place of the displayed value three digits to the {left}/{right} and {decreases}/{increases} the exponent by three. When you are using engineering notation, the engineering symbol is also changed accordingly.
- The {ENG} and {ENG} menu options appear only when there is a calculation result shown on the display.

Angle Units



- Once you specify an angle unit, it remains in effect until you specify a different one. The specification is retained even if you turn power off.
- Be sure to specify "Comp" for Calculation/binary, octal, decimal, hexadecimal mode.

Example	Operation	Display
To convert 4.25 rad to degrees:	SHIFT SETUP ▼ ▼ ▼ ▼ F1 (Deg) EXIT 4.25 (PTN) F6 (▷)	
	F5 (ANGL) F2 (r) EXE	243.5070629
47.3° + 82.5rad = 4774.20181°	47.3 + 82.5 F2 (r) EXE	4774.20181



P.5

■ Trigonometric and Inverse Trigonometric Functions

• Be sure to set the angle unit before performing trigonometric function and inverse trigonometric function calculations.

$$(90^\circ = \frac{\pi}{2} \text{ radians} = 100 \text{ grads})$$

Example	Operation	Display
sin 63° = 0.8910065242	SHIFI SETUP • • • • • F1 (Deg) EXITI Sin 63 EXE	0.8910065242
$\cos\left(\frac{\pi}{3}\text{rad}\right) = 0.5$	SHIFT SETUP ▼ ▼ ▼ ▼ F2) (Rad) EXIT (COS (SHIFT (T) ÷ 3) EXE	0.5
tan (– 35gra) = – 0.6128007881	SHIFT SETUP ▼ ▼ ▼ ▼ F3 (Gra) EXIT tan (-) 35 EXE	-0.6128007881
$2 \cdot \sin 45^{\circ} \times \cos 65^{\circ}$ = 0.5976724775	SHIF SETUP ▼ ▼ ▼ ▼ F1 (Deg) EXIT 2 ★ Sin 45 ★ Cos 65 EXE *1	0.5976724775
$\csc 30^\circ = \frac{1}{\sin 30^\circ} = 2$	1 ÷ sin 30 EXE	2
$\sin^{-1}0.5 = 30^{\circ}$ (x when $\sin x = 0.5$)	SHIFT Sin 0.5*2 EXE	30

^{*1 (}X) can be omitted.

^{*2} Input of leading zero is not necessary.



■ Logarithmic and Exponential Functions

 Be sure to specify "Comp" for Calculation/binary, octal, decimal, hexadecimal mode.

Example	Operation	Display
$\log 1.23 (\log_{10} 1.23)$ = 8.990511144 × 10 ⁻²	log 1.23 EXE	0.08990511144
In 90 (log _e 90) = 4.49980967	In 90 EXE	4.49980967
10 ^{1,23} = 16.98243652 (To obtain the antilogarithm of common logarithm 1.23)	SHIFT) 10 ³ 1.23 EXE	16.98243652
$e^{4.5}$ = 90.0171313 (To obtain the antilogarithm of natural logarithm 4.5)	SHIFT (CX 4.5 EXE	90.0171313
$(-3)^4 = (-3) \times (-3) \times (-3) \times (-3) \times (-3) = 81$	((-)3) ∧4 EXE	81
$-3^4 = -(3 \times 3 \times 3 \times 3) = -81$	(-)3/4 EXE	- 81
$\sqrt[7]{123}$ (= $123^{\frac{1}{7}}$) = 1.988647795	7 SHIFT 🚰 123 EXE	1.988647795
$2 + 3 \times \sqrt[3]{64} - 4 = 10$	2+3×3 SHIFT 7-64-4 EXE*1	10

^{*1 ^ (} x^y) and x^y take precedence over multiplication and division.



■ Hyperbolic and Inverse Hyperbolic Functions

Example	Operation	Display
sinh 3.6 = 18.28545536	OPTN F6 (▷) F2 (HYP) F1 (sinh)3.6 EXE	18.28545536
cosh 1.5 - sinh 1.5 = 0.2231301601 = $e^{-1.5}$ (Proof of cosh $x \pm \sinh x = e^{\pm x}$)	OPTN F6 (▷) F2 (HYP) F2 (∞sh)1.5 — F1 (sinh)1.5 EXE In SHFT Ans EXE	0.2231301601 - 1.5
$\cosh^{-1}\left(\frac{20}{15}\right) = 0.7953654612$	(PTN F6 (▷) F2 (HYP) F5 (cosh ⁻¹) (20 ÷ 15) EXE	0.7953654612
Determine the value of x when $\tanh 4 x = 0.88$		
$x = \frac{\tanh^{-1} 0.88}{4}$		
= 0.3439419141	(PTN) F6 (▷) F2 (HYP) F6 (tanh ⁻¹)0.88 - 4 EXE	0.3439419141




Other Functions


Example	Operation	Display
$\sqrt{2} + \sqrt{5} = 3.65028154$	SHIFT 72 + SHIFT 75 EXE	3.65028154
$(-3)^2 = (-3) \times (-3) = 9$	((-) 3) x^2 EXE	9
$-3^2 = -(3 \times 3) = -9$	(-)3 x² EXE	- 9
$\frac{1}{\frac{1}{3} - \frac{1}{4}} = 12$	(3 SHIFT 2 - 4 SHIFT 2 EXE	12
8! (= 1 × 2 × 3 × × 8) = 40320	8 @ F (▷) F 3 (PROB) F 1 (x!) EXE	40320
$\sqrt[3]{36\times42\times49}=42$	SHIFT ₹ (36 × 42 × 49) EXE	42
Random number generation (pseudo random number between 0 and 1)	(PROB) (PROB) (PROB) (F4) (Ran#) (EXE	(Ex.) 0.4810497011
What is the absolute value of the common logarithm of $\frac{3}{4}$?		
$\left \log \frac{3}{4} \right = 0.1249387366$	(PTN F6 (▷) F4 (NUM) F1 (Abs) (0) (3 ÷ 4) EXE	0.1249387366
What is the integer part of – 3.5?	(PTN F6 (▷) F4 (NUM) F2 (Int) (→) 3.5 EXE	-3
What is the decimal part of – 3.5?	©PTN F6 (▷) F4 (NUM) F3 (Frac) (→ 3.5 EXE	- 0.5
What is the nearest integer not exceeding – 3.5?	@FIN F6 (▷) F4 (NUM) F5 (Intg) (→) 3.5 EXE	-4

■ Coordinate Conversion

• Rectangular Coordinates







- With polar coordinates, θ can be calculated and displayed within a range of $-180^{\circ} < \theta \le 180^{\circ}$ (radians and grads have same range).
- Be sure to specify "Comp" for Calculation/binary, octal, decimal, hexadecimal mode.

Example To calculate r and θ° when x = 14 and y = 20.7

Operation	Display
SHFI STUP \bigcirc \bigcirc \bigcirc F1 (Deg) EXIT OPTN F6 (\triangleright) F5 (ANGL) F6 (\triangleright) F1 (PoI()14 \bigcirc 20.7 \bigcirc EXE	Ans $ \begin{array}{ccc} & 1 & \boxed{24.989} \\ & 2 & 55.928 & \rightarrow & 55.92839019 & (\theta) \end{array} $

Example To calculate x and y when r = 25 and $\theta = 56^{\circ}$

Operation	Display
SHFI STUP \bigcirc \bigcirc \bigcirc F1 (Deg) EXIT OPTN F6 (\triangleright) F5 (ANGL) F6 (\triangleright) F2 (Rec()25 \bigcirc 56 \bigcirc EXE	Ans $ \begin{array}{ccc} 1 & \boxed{13.979} \\ 2 & 20.725 & \rightarrow & 20.72593931 & (y) \end{array} $

■ Permutation and Combination

Permutation



$$n\mathsf{C}r = \frac{n!}{r!\ (n-r)!}$$



Example

To calculate the possible number of different arrangements using 4 items selected from among 10 items

Formula	Operation	Display
10P4 = 5040	10 (PROB) 10 (PROB)	
	F2 (nPr)4 EXE	5040

Example

To calculate the possible number of different combinations of 4 items that can be selected from among 10 items

Formula	Operation	Display
10C4 = 210	10 (PROB) F6 (▷) F3 (PROB)	
	F3 (nCr)4 EXE	210

■ Fractions



- Fractional values are displayed with the integer first, followed by the numerator and then the denominator.
- Be sure to specify "Comp" for Calculation/binary, octal, decimal, hexadecimal mode.

Example	Operation	Display
$\frac{2}{5} + 3\frac{1}{4} = 3\frac{13}{20}$ $= 3.65$	2個5 + 3個2 1個2 4 EXE (Conversion to decimal*1) 一	3.65
$\frac{1}{2578} + \frac{1}{4572}$ $= 6.066202547 \times 10^{-4}$	1 @ 2578 十 1 @ 4572 [延	6.066202547 _E −04* ² (Norm 1 display format)
$\frac{1}{2}$ × 0.5 = 0.25	1處2又 •5既	0.25*3
$\frac{1}{\frac{1}{3} + \frac{1}{4}} = 1\frac{5}{7}$	1個(1個3十1個4)[點*4	1_5_7

^{*1} Fractions can be converted to decimal values and vice versa.

^{*2} When the total number of characters, including integer, numerator, denominator and delimiter marks exceeds 10, the input fraction is automatically displayed in decimal format

^{*3} Calculations containing both fractions and decimals are calculated in decimal format.

^{*4} You can include fractions within the numerator or denominator of a fraction by putting the numerator or denominator in parentheses.



■ Engineering Notation Calculations

Input engineering symbols using the engineering notation menu.

Example	Operation	Display
999k (kilo) + 25k (kilo) = 1.024M (mega)	##F \$\text{\$\mathbb{H}\$ \neq \neq \neq \neq \neq \neq \neq \neq	1.024M
9 ÷ 10 = 0.9 = 900m (milli)	9 - 10 EXE OPTN F6 (>) F6 (>) F1 (ESYM) F6 (>) F6 (>)	900.m
	F3 (ENG)*¹	0.9
	F3 (ENG)*¹	0.0009k
	F2 (ENG)*2 F2 (ENG)*2	0.9 900.m

^{*1} Converts the displayed value to the next higher engineering unit, by shifting the decimal point three places to the right.

^{*2} Converts the displayed value to the next lower engineering unit, by shifting the decimal point three places to the left.

■ Logical Operators (AND, OR, NOT)

[OPTN]-[LOGIC]



The logical operator menu provides a selection of logical operators.

- {And}/{Or}/{Not} ... {logical multiplication}/{logical addition}/{negation}
- Be sure to specify "Comp" for Calculation/binary, octal, decimal, hexadecimal mode.

Example What is the logical product of A and B when A = 3 and B = 2?

A AND B = 1

Operation	Display
3 → ALPHA A EXE	
2 → ALPHA B EXE	
ALPHA $f A$ OPTN $f F6$ $(racktriangle)$ $f F6$ $(raketlight)$	
F4 (LOGIC) F1 (And) ALPHA B EXE	1

Example What is the logical sum of A and B when A = 5 and B = 1?

A OR B = 1

Operation	Display
5 → ALPHA A EXE	
1 → ALPHA B EXE	
ALPHA $f A$ OPTN $f F6$ $(raketa)$ $f F6$ $(raketa)$	
F4 (LOGIC) F2 (Or) ALPHA B EXE	1

Example Negate A when A = 10.

NOT A = 0

Operation	Display
10 → ALPHA A EXE	
OPTN $F6(riangle)F6(riangle)$	
F4 (LOGIC) F3 (Not) ALPHA (A) EXE	0



About Logical Operations

- A logical operation always produces either 0 or 1 as its result.
- The following table shows all of possible results that can be produced by AND and OR operations.

Value or Expression A	Value or Expression B	A AND B	A OR B
A ≠ 0	B ≠ 0	1	1
A ≠ 0	B = 0	0	1
A = 0	B ≠ 0	0	1
A = 0	B = 0	0	0

• The following table shows the results produced by the NOT operation.

Value or Expression A	NOT A
A ≠ 0	0
A = 0	1