CASIO

Contents

Precautions

Operating Precautions

User Maintenance

Battery

Mobile Link Precautions

Before Getting Started...

General Guide

Watch Face Items

Navigating Between Modes

Mode Overview

Using the Crown

Hand and Day Indicator Movement

Charging

Useful Features

Linking with a Phone

Getting Ready

Auto Time Adjustment

Configuring World Time Settings

Adjusting Hand and Day Indicator Alignment

Phone Finder

Configuring Watch Settings

Changing the Home City Summer Time Setting

Checking the Watch Charge Level

Connection

- Connecting with a Phone
- Disconnecting from Your Phone

Using the Watch in a Medical Facility or Aircraft

- Unpairing
- If you purchase another phone

Time Adjustment

Time Adjustment Using a Time Signal

- Overview
- Appropriate Signal Reception Location
- Time Calibration Signal Reception
- Auto Time Calibration Signal Receive
- Manual Time Signal Receive
- Signal Reception Precautions

Using Watch Operations to Adjust the Time Setting

Checking the Last Time Adjustment Result

Using the Watch in a Medical Facility or Aircraft

World Time

Using CASIO WATCHES to Configure World Time City Settings

World Time City Setting

Configuring the Summer Time Setting (World Time)

Swapping Your Home City Time and World Time

Moving to Another Time Zone

Stopwatch

Measuring Elapsed Time

Adjusting Hand and Day Indicator Alignment

Using CASIO WATCHES to Adjust Hand and Day Indicator Alignment

Adjusting Hand and Day Indicator Alignment

Other Information

City Table

Summer Time Table

Supported Phones

Specifications

Copyrights and Registered Copyrights

Troubleshooting

Watch Operation Guide 5665 CASIO.

Precautions

Operating Precautions

Water Resistance

• The information below applies to watches with WATER RESIST or WATER RESISTANT marked on the back cover.

Water Resistance Under Daily Use

Marking on watch front or on	No BAR
back cover	mark
Example of Daily Use	

Example of Daily Use

Hand washing, rain	Yes
Water-related work, swimming	No
Windsurfing	No
Skin diving	No

Enhanced Water Resistance Under Daily Use

5 Atmospheres

back cover	5BAR
Example of Daily Use	

Hand washing, rain	Yes
Water-related work, swimming	Yes
Windsurfing	No
Skin diving	No

10 Atmospheres

Marking on watch front or on back cover	10BAR

Example of Daily Use

Hand washing, rain	Yes
Water-related work, swimming	Yes
Windsurfing	Yes
Skin diving	Yes

20 Atmospheres

Marking on watch front or on	20BAR
back cover	ZUDAN

Example of Daily Use

Hand washing, rain	Yes
Water-related work, swimming	Yes
Windsurfing	Yes
Skin diving	Yes

- Do not use your watch for scuba diving or other types of diving that requires air tanks.
- Watches that do not have WATER RESIST or WATER RESISTANT marked on the back cover are not protected against the effects of sweat. Avoid using such a watch under conditions where it will be exposed to large amounts of sweat or moisture, or to direct splashing with water.
- · Even if a watch is water resistant, note the usage precautions described below. Such types of use reduce water resistance performance and can cause fogging of the
 - Do not operate the crown or buttons while your watch is submersed in water or wet.
 - Avoid wearing your watch while in the
 - Do not wear your watch while in a heated swimming pool, sauna, or any other high temperature/high humidity environment.
 - Do not wear your watch while washing your hands or face, while doing housework, or while performing any other task that involves soaps or detergents.
- · After submersion in seawater, use plain water to rinse all salt and dirt from your watch.
- To maintain water resistance, have the gaskets of your watch replaced periodically (about once every two or three years).
- A trained technician will inspect your watch for proper water resistance whenever you have its battery replaced. Battery replacement requires the use of special tools. Always request battery replacement from your original retailer or from an authorized CASIO service center.
- Some water-resistant watches come with fashionable leather bands. Avoid swimming, washing, or any other activity that causes direct exposure of a leather band to water.

- The inside surface of the watch glass may fog when the watch is exposed to a sudden drop in temperature. No problem is indicated if the fogging clears up relatively quickly. Sudden and extreme temperature changes (such as coming into an air conditioned room in the summer and standing close to an air conditioner outlet, or leaving a heated room in the winter and allowing your watch to come into contact with snow) can cause it to take longer for glass fogging to clear up. If glass fogging does not clear up or if you notice moisture inside of the glass, immediately stop using your watch and take it to your original retailer or to an authorized CASIO service center.
- Your water-resistant watch has been tested in accordance with International Organization for Standardization regulations.

Band

- Tightening the band too tightly can cause you to sweat and make it difficult for air to pass under the band, which can lead to skin irritation. Do not fasten the band too tightly. There should be enough room between the band and your wrist so you can insert your finger.
- Deterioration, rust, and other conditions can cause the band to break or come off of your watch, which in turn can cause band pins to fly out of position or to fall out. This creates the risk of your watch falling from your wrist and becoming lost, and also creates the risk of personal injury. Always take good care of your band and keep it clean.
- Immediately stop using a band if you even notice any of the following: loss of band flexibility, band cracks, band discoloration, band looseness, band connecting pin flying or falling out, or any other abnormality. Take your watch to your original retailer or to a CASIO service center for inspection and repair (for which you will be charged) or to have the band replaced (for which you will be charged).

CASIO

Temperature

 Never leave your watch on the dashboard of a car, near a heater, or in any other location that is subject to very high temperatures. Do not leave your watch where it will be exposed to very low temperatures. Temperature extremes can cause your watch to lose or gain time, to stop, or otherwise malfunction.

Impact

 Your watch is designed to withstand impact incurred during normal daily use and during light activity such as playing catch, tennis, etc. Dropping your watch or otherwise subjecting it to strong impact, however, can lead to malfunction. Note that watches with shock-resistant designs (G-SHOCK, BABY-G, G-MS) can be worn while operating a chain saw or engaging in other activities that generate strong vibration, or while engaging in strenuous sports activities (motocross, etc.)

Magnetism

- The hands of analog and combination

 (analog-digital) watches are moved by a
 motor that uses magnetic force. When such
 a watch is close to a device (audio
 speakers, magnetic necklace, cell phone,
 etc.) that emits strong magnetism, the
 magnetism can cause timekeeping to slow
 down, speed up, or stop, resulting in the
 incorrect time being displayed.
- Very strong magnetism (from medical equipment, etc.) should be avoided because it can cause malfunction of your watch and damage to electronic components.

• Electrostatic Charge

 Exposure to very strong electrostatic charge can cause your watch to display the wrong time. Very strong electrostatic charge even can damage electronic components.

Chemicals

 Do not allow your watch to come into contact with thinner, gasoline, solvents, oils, or fats, or with any cleaners, adhesives, paints, medicines, or cosmetics that contain such ingredients. Doing so can cause discoloration of or damage to the resin case, resin band, leather, and other parts.

Storage

 If you do not plan to use your watch for a long time, thoroughly wipe it free of all dirt, sweat, and moisture, and store it in a cool, dry place.

Resin Components

- Allowing your watch to remain in contact
 with other items or storing it together with
 other items for long periods while it is wet
 can cause color on resin components to
 transfer to the other items, or the color of the
 other items to transfer to the resin
 components of your watch. Be sure to dry
 off your watch thoroughly before storing it
 and make sure it is not in contact with other
 items.
- Leaving your watch where it is exposed to direct sunlight (ultraviolet rays) for long periods or failure to clean dirt from your watch for long periods can cause it to become discolored.
- Friction caused by certain conditions (strong external force, sustained rubbing, impact, etc.) can cause discoloration of painted components.
- If there are printed figures on the band, strong rubbing of the printed area can cause discoloration.
- Leaving your watch wet for long periods can cause fluorescent color to fade. Wipe the watch dry as soon as possible after it becomes wet.
- Semi-transparent resin parts can become discolored due to sweat and dirt, and if exposed to high temperatures and humidity for long periods.
- Daily use and long-term storage of your watch can lead to deterioration, breaking, or bending of resin components. The extent of such damage depends on usage conditions and storage conditions.

Leather Band

- Allowing your watch to remain in contact
 with other items or storing it together with
 other items for long periods while it is wet
 can cause the color of the leather band to
 transfer to the other items or the color of the
 other items to transfer to the leather band.
 Be sure to dry off your watch thoroughly with
 a soft cloth before storing it and make sure
 it is not in contact with other items.
- Leaving a leather band where it is exposed to direct sunlight (ultraviolet rays) for long periods or failure to clean dirt from a leather band for long periods can cause it to become discolored.

CAUTION:

Exposing a leather band to rubbing or dirt can cause color transfer and discoloration.

Metal Components

- Failure to clean dirt from metal components can lead to formation of rust, even if components are stainless steel or plated. If metal components exposed to sweat or water, wipe thoroughly with a soft, absorbent cloth and then place the watch in a well-ventilated location to dry.
- Use a soft toothbrush or similar tool to scrub the metal with a weak solution of water and a mild neutral detergent, or with soapy water. Next, rinse with water to remove all remaining detergent and then wipe dry with a soft absorbent cloth. When washing metal components, wrap the watch case with kitchen plastic wrap so it does not come into contact with the detergent or soap.

Bacteria and Odor Resistant Band

• The bacteria and odor resistant band protects against odor generated by the formation of bacteria from sweat, which ensures comfort and hygiene. In order to ensure maximum bacteria and odor resistance, keep the band clean. Use an absorbent soft cloth to thoroughly wipe the band clean of dirt, sweat, and moisture. A bacteria and odor resistant band suppresses the formation of organisms and bacteria. It does not protect against rash due to allergic reaction, etc.

Note that CASIO Computer Co., Ltd. assumes no responsibility for any damage or loss suffered by you or any third party arising through the use of your watch or its malfunction.

CASIO.

User Maintenance

Caring for Your Watch

Remember that you wear your watch next to your skin, just like a piece of clothing. To ensure your watch performs at the level for which it is designed, keep it clean by frequently wiping with a soft cloth to keep your watch and band free of dirt, sweat, water and other foreign matter.

- Whenever your watch is exposed to sea water or mud, rinse it off with clean fresh water
- For a metal band or a resin band with metal parts, use a soft toothbrush or similar tool to scrub the band with a weak solution of water and a mild neutral detergent, or with soapy water. Next, rinse with water to remove all remaining detergent and then wipe dry with a soft absorbent cloth. When washing the band, wrap the watch case with kitchen plastic wrap so it does not come into contact with the detergent or soap.
- For a resin band, wash with water and then wipe dry with a soft cloth. Note that sometimes a smudge like pattern may appear on the surface of a resin band. This will not have any effect on your skin or clothing. Wipe with a cloth to remove the smudge pattern.
- Clean water and sweat from a leather band by wiping with a soft cloth.
- Not operating a watch crown, buttons, or rotary bezel could lead to later problems with their operation. Periodically rotate the crown and rotary bezel, and press buttons to maintain proper operation.

Dangers of Poor Watch Care

Rust

- Though the metal steel used for your watch is highly rust-resistant, rust can form if your watch is not cleaned after it becomes dirty.
- Dirt on your watch can make it impossible for oxygen to come into contact with the metal, which can lead to breakdown of the oxidization layer on the metal surface and the formation of rust.
- Rust can cause sharp areas on metal components and can cause band pins to fly out of position or to fall out. If you ever notice any abnormality immediately stop using your watch and take it to your original retailer or to an authorized CASIO service
- Even if the surface of the metal appears clean, sweat and rust in crevasses can soil the sleeves of clothing, cause skin irritation, and even interfere with watch performance.

Premature Wear

 Leaving sweat or water on a resin band or bezel, or storing your watch an area subject to high moisture can lead to premature wear, cuts, and breaks.

Skin Irritation

 Individuals with sensitive skin or in poor physical condition may experience skin irritation when wearing a watch. Such individuals should keep their leather band or resin band particularly clean. Should you ever experience a rash or other skin irritation, immediately remove your watch and contact a skin care professional.

Battery

- The special rechargeable battery used by your watch is not intended to be removed or replaced by you. Use of a rechargeable battery other than the special one specified for your watch can damage your watch.
- The rechargeable (secondary) battery is charged when the solar panel is exposed to light, so it does not require regular replacement as the primary battery requires. Note, however, that long use or operating conditions can cause the capacity or charging efficiency of the rechargeable battery to deteriorate. If you feel that the amount of operation provided by charging is too short, contact your original retailer or CASIO service center.

Mobile Link Precautions

Legal Precautions

 This watch complies with or has received approval under the radio laws of various countries and geographical areas. Using this watch in an area where it does not comply with or has not received approval under applicable radio laws may be a criminal offense. For details, visit the CASIO Website.

https://world.casio.com/ce/BLE/

 Use of this watch inside of aircraft is restricted under the aviation laws of each country. Be sure to follow the instructions of airline personnel.

Precautions when using Mobile Link


- When using this watch in combination with a phone, keep the watch and phone close to each other. A range of two meters is recommended as a guideline, but the local environment (walls, furniture, etc.), the structure of a building, and other factors may require a much closer range.
- This watch can be affected by other devices (electrical devices, audio-visual equipment, office equipment, etc.) In particular, it can be affected by operation of a microwave oven. The watch may not be able to communicate normally with a phone if a microwave oven is operating nearby. Conversely, this watch may cause noise in radio reception and the video image of a TV.
- Bluetooth of this watch uses the same frequency band (2.4 GHz) as wireless LAN devices, and use of such devices in close proximity of this watch may result in radio interference, slower communication speeds and noise for the watch and the wireless LAN device, or even communication failure.

Stopping Radio Wave Emission by This Watch

The watch is emitting radio waves whenever the second hand is pointing to [C]. Even if the second hand is not pointing at [C], the watch will automatically attempt to connect with a phone four times a day to adjust its time settings.

When in a hospital, on an aircraft, or in any other area where the use of radio waves is not allowed, use the operation below to stop radio wave generation.

Stopping Radio Wave Generation
 Press any button to terminate the Bluetooth
 connection.



- Disabling Auto Time Adjustment
 Configure CASIO WATCHES settings to
 disable time adjustment between the watch
 and phone.
 - O Using CASIO WATCHES to Disable
 Auto Time Adjustment

Before Getting Started...

This section provides an overview of the watch and introduces convenient ways it can be used.

Watch Features

• Phone Linking

The watch supports connection and communication with a Bluetooth capable phone.

Solar Charging

Sunlight and artificial light generate electricity for watch operation as it charges.

• Time Signal Reception

The watch receives a radio signal containing time information and uses it to keep its time setting accurate.

• World Time

Displays the current time in any one of 27 cities (38 time zones) around the globe and UTC.

Stopwatch


You can use the stopwatch to measure up to 24 hours of elapsed time in 1-second units.

Note

 The illustrations included in this operation guide have been created to facilitate explanation. An illustration may differ somewhat from the item it represents.

General Guide

 The names below are for the watch's World Time Mode.



- (1) 24-hour hand
- (2) Hour hand
- (3) World Time hour hand
- (4) World Time minute hand
- (5) World Time 24-hour hand
- (6) Second hand
- (7) Mode hand
- (8) Minute hand
- 9 Day indicator
- (10) Crown


A button

Press this button to move the second hand to the current Home City.

B button

Press this button to connect with the paired phone and adjust the watch's time setting.

Watch Face Items



① [C]

The second hand points to this mark while there is a connection between the watch and a phone.

2 [R]

The second hand points to this mark while calibration signal reception is in progress.

3 Last signal receive result/auto time adjustment setting status

The second hand points to [Y(YES)] or [N(NO)] to indicate the result of the last auto time adjustment operation based on time signal reception or connection with a phone.

[Y(YES)]: Auto time adjustment successful

[N(NO)]: Auto time adjustment failed

The second hand points to [Y(YES)] or [N(NO)] to indicate if auto time adjustment is enabled or disabled.

[Y(YES)]: Auto time adjustment enabled [N(NO)]: Auto time adjustment disabled

4 [ST]

The mode hand points to [ST] while a Stopwatch Mode elapsed time measurement operation is being performed.

Summer time setting The mode hand points to the current summer time setting.

Watch Operation Guide 5665 CASIO

6 Battery level

Pushing the crown back in after pulling it out will cause the mode hand to indicate the current charge level.

① Day of week

The mode hand points to the Home City day of the week in the World Time Mode and in the Stopwatch Mode while the stopwatch is reset to all zeros.

Navigating Between Modes


To navigate between modes, press (A) while the crown is pulled out.

World Time Mode






Stopwatch Mode



 Pushing the crown back in will cause the mode hand to indicate the current charge level momentarily, and then indicate the current day of the week.

Mode hand

Charge level



Day of week


Connecting with a Paired Phone

Hold down (B) until the second hand points to [C] twice.

- The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.
- To disconnect, press any button.

Before connection

After connection




Pair the watch with a phone.

Mode Overview

World Time Mode

The main hour, minute, and second hands indicate the current time.

The small hour and minute hands indicate the current World Time.



- (1) World Time hour
- World Time minute
- (3) Current location time (24-hour time) One revolution every 24 hours.
- World Time hour (24-hour time) The hand points to the A-side for a.m. times, and to the P-side for p.m. times.
- 5 Day of the week at current location

Checking the Current Home City Press (A).


Swapping the Current Location Time and World Time

Hold down (A) for at least three seconds.

Stopwatch Mode

The second hand, and the small hour and minute hands indicate the elapsed stopwatch time.

• The main hour and minute hands indicate the current time.



- (1) Stopwatch hours
- (2) Stopwatch minutes
- (3) Current location time (24-hour time) One revolution every 24 hours.
- (4) Stopwatch seconds The second hand indicates the current timekeeping seconds while the stopwatch is reset to all zeros.
- (5) Stopwatch hours (24-hour time)
 The hand points to the A-side for hours 0
 through 12, and to the P-side for hours 12
 through 24.
- 6 Mode hand

The mode hand points to [ST] while an elapsed time measurement operation is in progress. The mode hand points to the Home City day of the week while the stopwatch is reset to all zeros.

CASIO®

• Common Operations in All Modes

World Time Mode

Stopwatch Mode





Time Adjustment Using a Time Calibration Signal

Hold down (B) for at least 0.5 seconds until the second hand points to [R].

 A manual time calibration signal receive operation cannot be performed while the watch is paired with a phone.

Checking the Charge Level

Pushing the crown back in after pulling it out will cause the current charge level to be indicated by the mode hand.

O Checking the Charge Level

Connecting with a Paired Phone to Adjust the Watch's Time

Hold down (B) for at least 0.5 seconds until the second hand points to [C].

Searching for a Paired Phone

Hold down (B) until the second hand points to [C] three times.

Using the Crown

Pulling Out and Pushing In the Crown

To perform a crown operation, pull it out to the first or second click and then rotate it. Do not pull the crown with too much force.

First click



Second click



Important!

- To prevent loss of water resistance and/or damage due to impact, be sure to push the crown in to its normal position after you are finished using it.
- When pushing the crown back in, take care not to apply too much force.

• Fast Forward/Fast Reverse

After pulling out the crown to the first or second click, rotating it quickly in succession in either direction will start a fast forward or fast reverse operation. While a fast forward operation is in progress, quickly rotating the crown in succession again will increase the speed even further


Stopping Fast Forward/Fast Reverse

Rotate the crown in the direction opposite that of the ongoing operation or press any button.

Note

 If you do not perform any operation for about two minutes after pulling out the crown, crown operations will automatically become disabled. If that happens, push the crown back in and then pull it out again.

Hand and Day Indicator Movement



Mode Hand and Day Indicator Movement

Changing the day setting of the watch will also cause the mode hand to move.

Day

- It can take anywhere from about one to four minutes for the day indicator to change after timekeeping reaches midnight. The mode hand moves as the day indicator changes.
- The day may not be indicated correctly while the watch's crown is pulled out.

CASIO

Charging

This watch runs on power supplied from a rechargeable (secondary) battery that is charged by a solar panel. The solar panel is integrated into the face of the watch, and power is generated whenever the face is exposed to light.

Charging the Watch

When you are not wearing the watch, put it in a location where it is exposed to bright light.



While you are wearing the watch, make sure that its face (solar panel) is not blocked from light by the sleeve of your clothing. Power generation efficiency is reduced even when the face of the watch is blocked only partially.

YES

NO






Important!

- Depending on light intensity and local conditions, the watch may become hot to the touch when exposed to light for charging. Take care to avoid burn injury after charging. Also, avoid charging the watch under hightemperature conditions like the ones described below.
 - On the dashboard of a vehicle parked in the sun
 - Near an incandescent light bulb or other source of heat
 - Under direct sunlight or in other hot areas for long periods

Checking the Charge Level

Pushing the crown back in after pulling it out will cause the mode hand to indicate the current charge level. After a short while, the mode hand will indicate the current day of the week.



- (1) Good (high charge)
- (2) Good (medium charge)
- 3 Low Battery

Remaining Charge and Dead Battery

You can determine if the charge level is low by checking the hand movement. Functions become disabled as battery power goes low.

Important!

• Should the battery go low or go dead, expose the face (solar panel) to light as soon as possible.

Note

 Exposing the watch face to light after the battery goes dead will cause the second hand to revolve counterclockwise until it stops at second 57. This indicates charging has started.

Low Battery Power

The second hand jumps at two-second intervals.



Dead Battery

All hands and the day indicator are stopped.



Charging Time Guidelines

The table below shows guidelines for approximate charging times.

Charging Times Required for 1 Day of Operation

Light Level (Lux)	Approximate Charging Time
50,000	8 minutes
10,000	30 minutes
5,000	48 minutes
500	8 hours

Times Required to Achieve Next Charge Level

• Sunny day, outdoors (50,000 lux)

Dead battery → Medium charge	2 hours
Medium charge → High charge	17 hours
High charge → Full charge	5 hours

• Sunny day, near a window (10,000 lux)

Dead battery → Medium charge	5 hours
Medium charge → High charge	64 hours
High charge → Full charge	18 hours

• Overcast day, near a window (5,000 lux)

Dead battery → Medium charge	8 hours
Medium charge → High charge	104 hours
High charge → Full charge	28 hours

CASIO®

• Indoor fluorescent lighting (500 lux)

Dead battery → Medium charge	92 hours
Medium charge → High charge	-
High charge → Full charge	-

Note

• Actual charging time depends on the local charging environment.

Power Saving

Leaving the watch in a dark location for about one hour between the hours of 10 p.m. and 5:50 a.m. will cause the second hand to stop, and the watch to enter Level 1 power saving. If the watch is left in this condition for six or seven days, all hands will stop and the watch will enter Level 2 power saving.

Level 1:

Basic timekeeping functions are operational.

Level 2:

Only the day indicator is operational.

Note

- Note that the watch also may enter the power saving state if its face is blocked from light by your sleeve while you are wearing it.
- The watch will enter power saving when it is in one of the modes below.
 - World Time Mode
 - Stopwatch Mode (reset to all zeros)

Recovering from Power Saving Operation

Press any button, perform a crown operation, or place the watch in a well-lit area to recover from power saving.

Useful Features

Pairing the watch with your phone makes a number of the watch's features easier to use.

Auto time adjustment

Auto Time Adjustment



Selection of More Than 300 World Time cities

O Configuring World Time Settings



In addition, a number of other watch settings can be configured using your phone.

To transfer data to a watch and to configure settings, you first need to pair the watch with your phone.

O Getting Ready

 Your phone needs to have the CASIO "CASIO WATCHES" app installed to pair with the watch.

Linking with a Phone

While there is a Bluetooth connection between the watch and phone (Mobile Link), the watch's current time setting is adjusted automatically. You can also change the watch's other settings.

Note

- This function is available only while CASIO WATCHES is running on the phone.
- This section describes watch and phone operations.
 - 🕒 : Watch operation
 - : Phone operation

Getting Ready

To use your watch in combination with a phone, you first need to pair them. Perform the steps below to pair the watch with a phone.

• 1 Install the required app on your phone.

In Google Play or the App Store, search for the CASIO "CASIO WATCHES" app and install it on your phone.

• 2 Configure Bluetooth settings.

Enable the phone's Bluetooth.

Note

• For details about setting procedures, see your phone documentation.

Watch Operation Guide 5665 CASIO

• 3 Pair the watch with a phone.

Before you can use the watch in combination with a phone, you first need to pair them.

- 1. Move the phone to be paired with close to (within one meter of) the watch.
- 2. Tap the "CASIO WATCHES" icon.
 - Tap on the "My Watch" tab. Next, select the applicable product name.
- 3. Hold down (B) for at least 2.5 seconds until the second hand moves to [C].
- Perform the operation shown on the screen of the phone to be paired with.
 When a connection between the watch and phone is established, the second hand moves to [C].
 - If pairing fails for some reason, the watch will return to the state in step 1 of this procedure. Perform the pairing procedure again from the beginning.



Note

 The first time you start up CASIO WATCHES, a message will appear on your phone asking if you want to enable location information acquisition. Configure settings to allow background use of location information.

Auto Time Adjustment

The watch will connect with a phone at preset times each day and adjust its time settings.

Using This Function

Your watch adjusts its time setting four times a day according to a preset schedule. If you leave the watch in the World Time Mode or in the Stopwatch Mode while it is reset to all zeros, it will perform the time adjustment operation automatically as you go about your daily life, without any operation required by you.



Important!

- The watch may not be able to perform auto time adjustment under the conditions described below.
 - While the watch is too far away from its paired phone
 - While communication is not possible due to radio interference, etc.
 - While the phone is updating its system
 - While CASIO WATCHES is not running on the phone

Note

- If the watch does not indicate the correct time even if it is able to connect with a phone, adjust the hand and day indicator positions.
 - Adjusting Hand and Day Indicator
 Alignment
- If there is a World Time City specified with CASIO WATCHES, its time will also be adjusted automatically.
- The watch will connect with the phone and perform auto time adjustment at around 12:30 a.m., 6:30 a.m., 12:30 p.m. and 6:30 p.m. The connection is automatically terminated after auto time adjustment is complete.


• Triggering Immediate Time Adjustment

The watch's time setting will be adjusted automatically whenever you establish a connection between the watch and a phone. Whenever you want to trigger immediate time adjustment, perform the procedure below to connect with a phone.

- Move the phone close to (within one meter of) the watch.
- On Hold down (B) for at least 0.5 seconds until the second hand points to [C].
 Release the button as soon as the second hand points to [C].

When the watch connects with a phone, the second hand will normally move to [Y(YES)] and then the watch's time setting will be adjusted.

 The connection is terminated automatically after time adjustment is complete.



Watch Operation Guide 5665 CASIO

Configuring World Time Settings

Specifying a World Time City with CASIO WATCHES causes the watch's World Time City to change accordingly. The standard time/summer time setting of the World Time will be adjusted automatically without any watch operation required by you.



Note

 CASIO WATCHES World Time lets you select from among approximately 300 cities as the World Time City.

Selecting a World Time City


- 1. Tap the "CASIO WATCHES" icon.
- 2. Hold down (B) until the second hand points to [C] twice.


This establishes a connection between the watch and phone.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



- Perform the operation shown on the phone screen. The World Time setting will be reflected on the watch.
 - You can determine whether a World Time is a.m. or p.m. by checking the position of the small 24-hour hand.








World Time hour (24-hour)

Configuring the Summer Time Setting

- 1. Tap the "CASIO WATCHES" icon.
- 2. Hold down (B) until the second hand points to [C] twice.

This establishes a connection between the watch and phone.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



- Perform the operation shown on the phone screen to select a summer time setting.
 - "Auto"
 The watch switches between standard time and summer time automatically.
 - "OFF"
 The watch always indicates standard time.
 - "ON"
 The watch always indicates summer time.

Note


- While the summer time setting is
 "Auto", the watch will switch between
 standard time and summer time
 automatically. You do not need to
 switch between standard time and
 summer time manually. Even if you are
 in an area that does not observe
 summer time, you can leave the
 watch's summer time setting as "Auto".
- Changing the time setting manually with a watch operation will cancel auto standard time/summer time switching.
- CASIO WATCHES screen shows information about summer time periods.

CASIO®

- Swapping Your World Time and Home Time
- 1. Tap the "CASIO WATCHES" icon.
- 2. Hold down (B) until the second hand points to [C] twice.

This establishes a connection between the watch and phone.

• The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.




 Perform the operation shown on the phone screen to swap your Home Time with your World Time.

For example, if your Home City is Tokyo and the World Time City is New York, they will be swapped as shown below.

Before swapping

After swapping



Note

 Auto time adjustment does not work for 24 hours after swapping of the Home Time and World Time.

Adjusting Hand and Day Indicator Alignment

If the hands and/or day indicator are out of alignment even though auto time adjustment is being performed, use CASIO WATCHES to adjust them.

- 1. Tap the "CASIO WATCHES" icon.
- 2. Hold down (B) until the second hand points to [C] twice.

This establishes a connection between the watch and phone.

• The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.




 Perform the operation shown on the phone screen to correct hand and day indicator alignment.

Phone Finder

You can use phone finder to trigger a tone on the phone to make it easy to find. The tone is forced to sound even if the phone is in vibrate mode.

Important!


- Phone finder will not sound the tone unless CASIO WATCHES is running on the phone.
- Do not use this function in areas where phone call tones are restricted.
- The tone sounds at a high volume. Do not use this function when listening to phone output over earphones.
- If the watch is connected with a phone, press any button to terminate the connection.



2. Hold down (B) until the second hand points to [C] three times.

A connection will be established between the watch and phone, and then the phone's ringtone will sound.

 It will take a few seconds before the phone tone sounds.



- 3. Press any button to stop the tone.
 - You can press any watch button to stop the phone tone, but only during the first 30 seconds after it starts to sound.


Configuring Watch Settings

You can use CASIO WATCHES to specify the amount of time until the Bluetooth connection is automatically terminated, and to configure other settings.

- 1. Tap the "CASIO WATCHES" icon.
- DescriptionHold down (B) until the second hand points to [C] twice.

This establishes a connection between the watch and phone.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.




 Select the setting you want to change and then perform the operation shown on the phone screen.

Changing the Home City Summer Time Setting

- 1. Tap the "CASIO WATCHES" icon.
- 2. Hold down (B) until the second hand points to [C] twice.

This establishes a connection between the watch and phone.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



 Perform the operation shown on the phone screen to change your Home City summer time setting.


Checking the Watch Charge Level

Use the procedure below to check the current charge level with CASIO WATCHES.

- 1. Tap the "CASIO WATCHES" icon.
- 2. Hold down (B) until the second hand points to [C] twice.

This establishes a connection between the watch and phone.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



Use CASIO WATCHES to check the charge level.

Connection

Connecting with a Phone

This section explains how to establish a Bluetooth connection with a phone that is paired with the watch.

• If the watch is not paired with the phone you want to connect with, refer to the information below and pair them.

Pair the watch with a phone.

- Move the phone close to (within one meter of) the watch.
- 2. Hold down (B) until the second hand points to [C] twice.

This establishes a connection between the watch and phone.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



Important!

• If you have problems establishing a connection, it could mean that CASIO WATCHES is not running on the phone. On the phone's Home Screen, tap the "CASIO WATCHES" icon. After the app starts up, hold down the watch's (B) button for at least 2.5 seconds.

Note


 The connection will be terminated if you do not perform any operation on the watch or phone for a fixed amount of time.

To specify the connection limit time, perform the following operation with CASIO WATCHES: "Watch settings"

→ "Connection time with the app". Next, select a setting of 3 minutes, 5 minutes, or 10 minutes.

Disconnecting from Your Phone

Pressing any button terminates the Bluetooth connection and returns the second hand to its normal operation.



CASIO®


Using the Watch in a Medical Facility or Aircraft

Whenever you are in a hospital, on an aircraft, or in any other location where auto time calibration signal receive or connection with a phone may cause problems, you can perform the procedure below to disable such operations. To re-enable auto time adjustment, perform the same operation again.

- 1. Tap the "CASIO WATCHES" icon.
- Hold down (B) until the second hand points to [C] twice.

This establishes a connection between the watch and phone.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.




 Perform the operation shown on the phone screen to enable or disable auto time adjustment.

Unpairing


Unpairing the watch from a phone requires both CASIO WATCHES and watch operations.

Deleting Pairing Information from CASIO WATCHES

 If the watch is connected with a phone, press any button to terminate the connection.



- 2. Tap the "CASIO WATCHES" icon.
- 3. Perform the operation shown on the phone screen to unpair.
- Deleting Pairing Information from the Watch
- 1. Pull out the crown to the first click.
- Ohlod down (B) for at least 10 seconds.
 This deletes the pairing information. The second hand will point to [C].



3. Push the crown back in.

If you purchase another phone

You need to perform the pairing operation whenever you want to establish a Bluetooth connection with a phone for the first time.

- Deleting Pairing Information from the Watch
- (2) Pair the watch with a phone.

Time Adjustment

Your watch can obtain date and time information by connecting with a phone and by receiving time signals, which it uses to adjust its settings.

Important!

- Disable auto time adjustment whenever you are inside an aircraft or in any other area where radio wave reception is prohibited or restricted.
- O Using the Watch in a Medical Facility or Aircraft

CASIO.

Referring to the information below, configure the time setting in accordance with the method that suits your own lifestyle.

Do you use a phone?

Time adjustment by connecting with your phone is recommended.

Auto Time Adjustment




Can you receive a time signal in your area?

If you are able to receive a time signal, time settings can be adjusted in accordance with a received signal.

Time Calibration Signal Reception Ranges

O Setting a Home City



Other than the above.

If you are unable to connect with a phone and are unable to receive a time signal, you can perform watch button operations to adjust its time setting.

O Using Watch Operations to Adjust the Time Setting



Time Adjustment Using a Time Signal

Overview

The watch's time and day settings can be configured in accordance with a received time calibration signal.

Important!

- In order to make it possible for the current time setting to be adjusted correctly based on time calibration signal reception, you need to specify the time zone where you are using the watch.
- If the watch was unable to connect with a phone even once for time adjustment during the previous day while connection with a phone is being used, it will automatically try to receive a time calibration signal.
- Disable auto time adjustment whenever you are inside an aircraft or in any other area where radio wave reception is prohibited or restricted.

O Using CASIO WATCHES to Configure Settings

O Using Watch Operations to Configure Settings

Note

- Areas where time calibration signal reception is supported are limited.
 When the watch is in an area where time calibration signal reception is not possible, connect with a phone to adjust time and day settings.
 - Time Calibration Signal Reception Ranges
- If the watch does not indicate the correct time even after it receives a time calibration signal, correct the hand and day indicator positions.
 - O Using CASIO WATCHES to Adjust Alignment
 - Ousing Watch Operations to Correct Hand Positions

Appropriate Signal Reception Location

A time calibration signal can be received while the watch is near a window.

- Position the watch so its 12 o'clock side is facing the window.
- · Keep metal objects away from the watch.
- Do not move the watch.
- Do not perform any operation on the watch.



Note

- You may experience time calibration signal reception problems in the areas described below.
 - Among or near buildings
 - While riding in a vehicle
 - Near household appliances, office machines, mobile phones, etc.
 - On a construction site, in an airport, or any other location where radio wave interference occurs
 - Near high-voltage lines
 - In mountainous areas or behind a mountain

CASIO_®

Time Calibration Signal Reception Ranges

Japan (JJY)

The Japan time signal radio stations are located on Mt. Otakadoya in Fukushima and Mt. Hagane in Fukuoka/Saga.

The reception range of the Japanese time signals is approximately 1,000 km from each transmission station.

China (BPC)

The China time signal radio station is located in Shangqiu, Henan Province, China.
The reception range of the Chinese time signal is approximately 1,500 km from the transmission station.

United States (WWVB)

The United States time signal radio station is located in Fort Collins, Colorado.

The reception range of the U.S. time signal is approximately 3,000 km from the transmission station.

U.K. (MSF)/Germany (DCF77)

The U.K. time signal radio station is located in Anthorn, Cumbria.

The German time signal radio station is located in Mainflingen, southeast of Frankfurt. The reception range of the U.K. and German time signals is approximately 1,500 km from each transmission station.

Note

 Even if you are within the normal reception range of a time calibration signal, reception may be made impossible by the following factors: geographic contours, weather, the season, the time of day, wireless noise.

Auto Time Calibration Signal Receive

An automatic time calibration signal receive operation is performed and the time and day settings are adjusted between midnight and 5:00 a.m. Once a signal receive operation is successful, no more auto receive operations are performed that day.

Getting Ready

Enter the World Time Mode or the Stopwatch Mode with the stopwatch reset to all zeros.

Navigating Between Modes

Measuring Elapsed Time

Place the watch near a window or some other location appropriate for signal reception.

- The second hand points to [R] while the receive operation in progress.
- When the receive operation is successful, the time and day settings will be adjusted automatically.

Note

- Reception takes anywhere from about two minutes to about 10 minutes. It can take as long as 20 minutes.
- If the watch connects with a phone and adjusts its time setting, the watch will not perform auto receive of a time calibration signal for the rest of that day or the next day.

Manual Time Signal Receive

- Place the watch near a window or some other location appropriate for time signal reception.
- 2. Hold down (B) for at least 0.5 seconds until the second hand points to [R].

This indicates that the receive operation has started. After the receive operation is complete, the watch's time and day settings will be adjusted accordingly.



Note

- The receive operation takes anywhere from about two minutes to about 10 minutes. It can take as long as 20 minutes.
- Time calibration signal reception is better at night than during the day.
- A time calibration signal cannot be received while the watch is paired with a phone.

CASIO®

Signal Reception Precautions

- When the watch is unable to adjust its time in accordance with a calibration signal for some reason, average timekeeping accuracy is within ±15 seconds per month.
- Note that an internal decoding process the watch performs after it receives a signal may cause the time setting to be slightly off (by less than one second).
- Time calibration signal reception is not possible under the conditions described below.
 - While battery power is low
 - While an elapsed time operation is in progress (Auto Receive only disabled.)
 - At Power Saving Level 2
 - While the crown is pulled out
 - While the Home City setting is a time zone where time signal reception is not possible
 - While the watch is outside the time signal reception range
 - While the watch is paired with a phone
- To perform a manual time calibration signal receive operation, make sure the watch is not paired with a phone. If it is, delete the watch's pairing information before performing the manual receive operation.
 Unpairing
- When the receive operation is successful, the time and/or day settings will be adjusted automatically. Summer time will not be applied correctly in the case described
 - When the summer time start date and time, end date and time, or other rules are changed by authorities
- If your watch is connected with a phone, settings must be configured so CASIO WATCHES can acquire location information. Even if you are in an area that is within the reception range of a time signal, reception will not be performed if settings are configured in a way that makes signal reception impossible.
- As of January 2021, China does not observe summer time. If China starts to observe summer time in the future, the time displayed by the watch for China may not be correct.

Using Watch Operations to Adjust the Time Setting


If your watch cannot connect with a phone for some reason, you can use watch operations to adjust date and time settings.

Setting a Home City

Use the procedure in this section to select a city (time zone) to use as your Home City.

Important!

- If you do not specify the city (time zone)
 where you are using the watch, the
 current time setting will not be correct
 after it is adjusted based on a time
 calibration signal.
- Pull out the crown to the second click.
 The second hand will move to the city code of the currently selected Home City.




- Rotate the crown to change the Home City.
 - You can also select a time zone whose name is not indicated on the face of the watch.
 - For details about time zones, refer to the information below.

City Table

3. Push the crown back in to its normal position.

Adjusting the Time and Day Setting

 Pull out the crown to the second click.
 The second hand will move to the city code of the currently selected Home City.



Home City (time zone)

- Hold down (B) for at least three seconds.
 This causes the second hand to move to 12 o'clock, and enables the hour and minute setting operation.
- 3. Rotate the crown to change the hour and minute settings.
- Press (B).
 This enables the year ten's digit setting operation.
- Rotate the crown to move the second hand to the desired setting for the year ten's digit.



6. Press (B).

This enables the year one's digit setting operation.

Rotate the crown to move the second hand to the desired setting for the year one's digit.



CASIO


8. Press (B).

This enables the month setting operation.



- 9. Rotate the crown to change the month.
- 10. Press (B).

The mode hand will move slightly, indicating that the day setting operation is enabled



- Changing the day setting will cause the mode hand to rotate repeatedly.
 Hand and Day Indicator Movement
- 11. Rotate the crown to change the day.
 - To return to the hour and minute setting operation, press (B).
- On a time signal at the top of a minute, push the crown back in.

Configuring the Summer Time Setting (Home City)

If you are in an area that observes summer time, you can also configure a summer time setting.


Note

- The initial factory default summer time setting for all cities is [AT (AUTO)]. In many cases, the [AT (AUTO)] setting lets you use the watch without switching between summer time and standard time.
- When performing a manual operation to select a time zone for which there is no city name displayed, use [STD] or [DST] for the summer time setting.
- Pull out the crown to the second click.

 The second hand will move to the city code of the currently selected Home City.
- 2. Press (B).

This enables the summer time setting operation.

- The mode hand will point to the summer time setting for the currently selected Home City.
- Rotate the crown to change the summer time setting.



• [AT (AUTO)]

The watch switches between standard time and summer time automatically.

• [STD

The watch always indicates standard time.

• [DST]

The watch always indicates summer time.

4. Push the crown back in to its normal position.

Checking the Last Time Adjustment Result

- Enter the World Time Mode or the Stopwatch Mode with the stopwatch reset to all zeros.
 - Navigating Between Modes

 Measuring Elapsed Time
- 2. Press (B).

The second hand will indicate the last time adjustment operation result. The watch hands will return to indicating the current time if you do not perform any operation for nine or ten seconds.

[Y(YES)]: Last time adjustment operation successful.

[N(NO)]: Last time adjustment operation failed.



Note

 Even if there was a successful time calibration signal receive operation or connection with a phone, the second hand will point to [N(NO)] if you adjusted the time and/or date setting manually.

CASIO®

Using the Watch in a Medical Facility or Aircraft

Whenever you are in a hospital, on an aircraft, or in any other location where auto time calibration signal receive or connection with a phone may cause problems, you can perform the procedure below to disable such operations. To re-enable auto time adjustment, perform the same operation again.

- Enter the World Time Mode or the Stopwatch Mode with the stopwatch reset to all zeros.
 - Navigating Between Modes


 Measuring Elapsed Time
- 2. Press (B).

The second hand will indicate the last receive result for nine or ten seconds.



- 3. Within 10 seconds after pressing (B) above, pull out the crown to the first click.
 - If more than 10 seconds elapse before you pull out the crown after you perform the operation in step 2, the second hand will return to indicating seconds. If this happens, perform step 2 again.
- Rotate the crown to disable auto time adjustment.

[Y(YES)]: Auto time adjustment enabled. [N(NO)]: Auto time adjustment disabled.



5. Push the crown back in.


Note

 If the watch is paired with a phone, CASIO WATCHES can be used to disable auto time adjustment.

O Using CASIO WATCHES to Disable Auto Time Adjustment

World Time

World Time lets you look up the current time in any one of 27 cities and 38 time zones around the globe.



Using CASIO WATCHES to Configure World Time City Settings

If the watch is paired with a phone, you can also use CASIO WATCHES to set the World Time city.

O Configuring World Time Settings

Note

 World Time cities that can be selected only by using CASIO WATCHES cannot be selected using watch operations.


World Time City Setting

Use the procedure below to specify the city (time zone) whose time you want to view.

- Enter the World Time Mode.
 Navigating Between Modes
- 2. Pull out the crown to the first click.

The second hand will point to the currently selected World Time City.

World Time City (time zone)




3. Rotate the crown to change the World Time City (time zone).

The World Time hour and minute hands indicate the current time in the selected time zone.

- You can also select a time zone whose name is not indicated on the face of the watch.
- For details about time zones, refer to the information below.

City Table

World Time hour and minute



World Time hour (24-hour)

4. Push the crown back in.

Configuring the Summer Time Setting (World Time)

If you are in an area that observes summer time, you can also configure a summer time setting.

Note

- The initial factory default summer time setting for all cities is [AT (AUTO)]. In many cases, the [AT (AUTO)] setting lets you use the watch without switching between summer time and standard time.
- When performing a manual operation to select a time zone for which there is no city name displayed, use [STD] or [DST] for the summer time setting.
- While [UTC] is selected as the city, you will not be able to change or check the summer time setting.
- Enter the World Time Mode.
 Navigating Between Modes
- Pull out the crown to the first click.
 The second hand will point to the currently selected World Time City (time zone).
- 3. Press (B).

The mode hand will move to the summer time setting of the currently selected World Time City (time zone).

- 4. Rotate the crown to change the summer time setting.
 - [AT (AUTO)]

 The watch switches between standard time and summer time automatically.
 - [STD]
 The watch always indicates standard time.
 - [DST]
 The watch always indicates summer time.



5. Push the crown back in to its normal position.


Swapping Your Home City Time and World Time

In the World Time Mode, hold down (A) for about three seconds to swap your Home City time with your World Time.

Example: To swap your Home City "TYO" (Tokyo) with your World Time City "NYC" (New York)

Before swapping

After swapping



 If a swapping operation causes a change in the day indicator setting, the mode hand will rotate repeatedly.

Mand and Day Indicator Movement

Note


- This function comes in handy when you need to move to another time zone. For details about how to use it, go to the section below.
- Moving to Another Time Zone

Moving to Another Time Zone


Use the procedure below to easily change day and time settings of the watch to a destination location.

Before Boarding

1. Configure the World Time to the current time at your destination.



- Using CASIO WATCHES to Configure Settings
- O Using Watch Operations to Configure Settings
- 2. Disable auto time adjustment.




- Q Using CASIO WATCHES to Configure Settings
- O Using Watch Operations to Configure Settings

CASIO®

After Arriving


1. Swap the origin time zone time with the destination time zone time.




- O Using CASIO WATCHES to Configure Settings
- Using Watch Operations to Configure Settings
- 2. Enable auto time adjustment.
 - Ousing CASIO WATCHES to Configure Settings
 - O Using Watch Operations to Configure Settings
- 3. Adjust the time setting.
 - Triggering Immediate Time Adjustment

Stopwatch

The stopwatch measures elapsed time in units of one second up to 23 hours, 59 minutes, 59 seconds (24 hours).



Measuring Elapsed Time



- Enter the Stopwatch Mode.
 - Navigating Between Modes
- 2. Push the crown back in.
- 3. Use the operations below to measure elapsed time.



- 4. Press (B) to reset the elapsed time to all zeros.
 - Pulling out the crown while an elapsed time measurement operation is in progress will reset the displayed value to all zeros.

Note

- The (B) button operations below can be performed while an elapsed time measurement operation is in progress.
 - Connecting with a Paired Phone to Adjust the Watch's Time
 - Time Adjustment Using a Time Calibration Signal
 - Pairing or Re-pairing the Watch with a Phone
 - Searching for a Paired Phone
- Resetting the stopwatch to all zeros causes the second hand to move momentarily to 12 o'clock. After 10 seconds, it will start indicating the current timekeeping seconds.
- The mode hand points to [ST] while an elapsed time measurement operation is in progress. The mode hand points to the Home City day of the week while the stopwatch is reset to all zeros.

CASIO

Adjusting Hand and Day Indicator Alignment

Strong magnetism or impact can cause the hands and/or the day indicator to go out of alignment. If this happens, adjust hand and day indicator alignment.

• The watch performs alignment of the hour hand, minute hand, second hand, and 24-hour hand automatically.

Using CASIO WATCHES to Adjust Hand and Day Indicator Alignment

If the watch is paired with a phone, you can also use CASIO WATCHES to adjust hand and day indicator positions.


Adjusting Hand and Day Indicator
Alignment

Adjusting Hand and Day Indicator Alignment

- 1. Pull out the crown to the second click.
- 2. Hold down (B) for at least six seconds until the second hand points to 12 o'clock twice. Release the button when the second hand reaches 12 o'clock.

This will start auto alignment of the hour hand, minute hand, second hand, and 24-hour hand.

- The second hand will point to 12 o'clock once after about three seconds, and then a second time after about six seconds.
- After auto alignment is complete, the hands should be in the positions shown below.



- 3. Press (B).
 - The hour, minute, second and 24-hour hands will move to the 11-minute position.
 - When the 24-hour hand is in the vicinity of 14:00, hold down (A) until the hour hand, minute hand, and 24-hour hand start to move. Confirm that the 24-hour hand stops in the vicinity of 02:00.

4. Press (B).


Confirm that the small hour and minute hands, and the small 24-hour hand are all stopped at 12 o'clock.



Small 24-hour hand

- If the small hour and minute hands, and the small 24-hour hand are not at 12 o'clock, rotate the crown to align them with 12 o'clock.
- 6. Press (B).

Confirm that the mode hand is stopped at [Su], and check if the day is indicated properly.




- If the mode hand and/or the day indicator is out of alignment, rotate the crown to move the mode hand to [Su] and the day to the center of the indicator window.
 - The movement range of the mode hand and day indicator is limited when you rotate the crown. The maximum leftright movement of the mode hand is 180 degrees in either direction. The day indicator moves only slightly.
 - After the mode hand and day indicator are in the positions you want, advance to step 10 of this procedure. If you are unable to make the adjustments you want, go to step 8.

CASIO.

8. Press (B).

Confirm that the day indicator shows "1".



- Changing the date setting will cause the mode hand to rotate repeatedly. In some cases, the mode hand may continue to rotate for about 20 minutes.
 Hand and Day Indicator Movement
- 9. If "1" is not shown for the day, rotate the crown until "1" is shown for the day.
 - The mode hand moves in conjunction with crown rotation. Align the mode hand with [Su].
- 10. Push the crown back in.

Note

• Leaving the crown pulled out for more than approximately 30 minutes without performing any operation will automatically cause the adjustment operation to become disabled. If this happens, push the crown back in to its normal position and then pull it out again to restart the procedure from the beginning. Pushing the crown in to its normal position part way through the alignment procedure will cause the hands to return to their normal position. Any alignment you performed up to that point will be applied.

Other Information

This section provides non-operational information you also need to know. Refer to this information as required.

City Table

You can specify a time zone whose city code is not shown on the face by aligning the second hand with the applicable UTC offset.

City code	City name	Second Hand Position	Offset
UTC	Coordinated Universal Time	0	0
LON*	London	2	0
PAR*	Paris	4	+1
ATH*	Athens	6	+2
JED	Jeddah	8	+3
-	-	9	+3.5
DXB	Dubai	10	+4
-	-	11	+4.5
-	-	12	+5
DEL	Delhi	13	+5.5
-	-	14	+5.75
DAC	Dhaka	15	+6
-	-	16	+6.5
BKK	Bangkok	17	+7
HKG*	Hong Kong	19	+8
-	-	21	+8.75
TYO*	Tokyo	22	+9
-	-	23	+9.5
SYD	Sydney	24	+10
-	-	25	+10.5
NOU	Noumea	26	+11
WLG	Wellington	28	+12
-	-	29	+12.75
TBU	Nuku'alofa	30	+13
CXI	Kiritimati	32	+14
BAR	Baker Island	36	-12
PPG	Pago Pago	38	-11
HNL	Honolulu	40	-10
-	-	41	-9.5
ANC	Anchorage	42	-9
LAX*	Los Angeles	44	-8
DEN*	Denver	46	-7
CHI*	Chicago	48	-6
NYC*	New York	50	-5
YHZ*	Halifax	52	-4
-	-	53	-3.5
RIO	Rio de Janeiro	54	-3
FEN	Fernando de Noronha	56	-2
RAI	Praia	58	-1

- * Time zones where time calibration signal reception is possible.
- The information in the above table is current as of January 2021.

Summer Time Table

When [AT (AUTO)] is selected for a city that observes summer time, switching between standard time and summer time will be performed automatically at the timing shown in the table below.

Note

• Summer time start and end dates for your current location may be different from those shown below. If this happens, you can have new summer time information for your Home City and World Time city sent to the watch by connecting the watch with a phone. If the watch is not connected with a phone, you can change the summer time setting manually.

	T a	
City name	Summer Time Start	Summer Time End
London	01:00, last Sunday in March	02:00, last Sunday in October
Paris	02:00, last Sunday in March	03:00, last Sunday in October
Athens	03:00, last Sunday in March	04:00, last Sunday in October
Sydney	02:00, first Sunday in October	03:00, first Sunday in April
Wellington	02:00, last Sunday in September	03:00, first Sunday in April
Anchorage	02:00, second Sunday in March	02:00, first Sunday in November
Los Angeles	02:00, second Sunday in March	02:00, first Sunday in November
Denver	02:00, second Sunday in March	02:00, first Sunday in November
Chicago	02:00, second Sunday in March	02:00, first Sunday in November
New York	02:00, second Sunday in March	02:00, first Sunday in November
Halifax	02:00, second Sunday in March	02:00, first Sunday in November
Rio de Janeiro*	00:00, third Sunday in October	00:00, third Sunday in February or 00:00, fourth Sunday in February

- * Though summer time was discontinued in Rio de Janeiro as of January 2021, this watch does not reflect this change.
- The information in the above table is current as of January 2021.

CASIO

Supported Phones

For information about phones that can connect with the watch, visit the CASIO website.

https://world.casio.com/os_mobile/wat/

Specifications

Accuracy at normal temperature :

±15 seconds per month average when time adjustment by time calibration signal reception or by communication with a phone is not possible.

Timekeeping:

Hour, minute, second, day (2000 to 2099 full auto calendar), day of the week

Signal Receive Functions:

Auto receive, manual receive Auto transmitter selection (for JJY, MSF/ DCF77)

Receivable Call Signs

JJY (40kHz/60kHz), BPC (68.5kHz), WWVB (60kHz), MSF (60kHz), DCF77 (77.5kHz)

Standard Time

Summer time auto/manual switching

World Time:

Current time in 38 time zones (including 27 world cities)* and Coordinated Universal Time (UTC) time display, summer time auto switching

* Subject to updates by connection between the watch and a phone.

Mobile Link:

Auto Time Correction

Time setting adjusted automatically at preset time.

One-touch Time Correction

Manual connection and time adjustment

Phone finder

Watch operation sounds the alert sound of the phone.

Home Time swapping

Auto summer time setting

Automatic switching between standard time and summer time.

Hand alignment correction

Data Communication Specifications

Bluetooth®

Frequency Band: 2400MHz to 2480MHz Maximum Transmission: 0 dBm (1 mW) Communication range: Up to 2 meters (depends on environment)

Stopwatch:

Measuring unit: 1 second Measuring capacity: 23:59'59" (24 hours)

Measuring functions: Elapsed time

Other

Auto hand position correction, Power Saving, battery indicator, battery charge

Power Supply:

Solar panel and one rechargeable battery

Approximate Battery Life:

Approximately 5 months

Conditions

Not exposed to light under the conditions

Auto Time Adjustment: 4 times/day Power Saving: 6 hours/day

Specifications are subject to change without notice.

Copyrights and Registered Copyrights

- The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by CASIO Computer Co., Ltd. is under license.
- iPhone and App Store are trademarks of Apple Inc. in the United States and other countries.
- iOS is a trademark or registered trademark of Cisco Systems, Inc.
- GALAXY is a registered trademark of Samsung Electronics Co., Ltd.
- Android and Google PlayTM are trademarks or registered trademarks of Google LLC.
- Other company names and product names used herein are trademarks or registered trademarks of their respective companies.

Troubleshooting

Signal Reception (Time Calibration Signal)

Q1 The watch cannot perform a receive operation.

Is the watch's battery charged?

Signal reception is not possible while battery power is low. Keep the watch exposed to light until it recharges sufficiently.

Charging

Is the watch in the World Time Mode or in the Stopwatch Mode with the stopwatch reset to all zeros?

The watch cannot receive time signals while auto adjustment is disabled or while there is an elapsed time measurement operation being performed in the Stopwatch Mode. Return to the World Time Mode or enter the Stopwatch Mode and reset the stopwatch to all zeros.

Navigating Between Modes
 Measuring Elapsed Time

Is your Home City setting correct for your location?

The watch will not indicate the correct time if the Home City setting is wrong. Change your Home City setting so it correctly reflects your location.

Setting a Home City

After checking the above, the watch still cannot perform a receive operation.

Time calibration signal reception is not possible under the conditions described below.

- When watch is at Level 2 power saving
- When the crown is pulled out
- While the watch is paired with a phone

For information about unpairing, see "Unpairing".

If successful reception is not possible for some reason, you can adjust the time and day settings manually. **Q2** The signal receive operation always fails

Is the watch in a location that is appropriate for signal reception?

Check your surroundings and move the watch to a location where signal reception is better.

Appropriate Signal Reception Location

Did you avoid touching the watch while the receive operation was in progress?

Minimize movement of the watch and do not perform any watch operation while a , receive operation is in progress.

Is the signal transmitter in your area transmitting a signal?

The transmitter of the time calibration may not be transmitting a signal.

Try again later.

Q3 Signal reception should have been successful, but the watch's time and/ or day is wrong.

Is the time zone where you are using the watch specified correctly?

Specify the time zone where you are using the watch.

Setting a Home City

, No World Time City Setting

Is the hand and/or day indicator alignment correct?

Adjust hand and/or day indicator alignment.

Adjusting Hand and Day Indicator
Alignment

After checking the above, the time and/or day settings is still wrong.

Adjust time and day settings manually.

Our Using Watch Operations to Adjust the Time Setting

I can't pair the watch with a phone.

Q1 I've never been able to establish a (pairing) connection between the watch and phone.

Are you using a supported phone model?

Check if the phone model and its operating system are supported by the watch.

For information about supported phone models, visit the CASIO Website.

. https://world.casio.com/os_mobile/wat/

Did you install CASIO WATCHES on your phone?

CASIO WATCHES needs to be installed on your phone in order to connect with the watch.

(2) Install the required app on your phone.

Are your phone's Bluetooth settings configured correctly?

Configure the phone's Bluetooth settings. For details about setting procedures, see your phone documentation.

iPhone Users

- "Settings" → "Bluetooth" → On
- "Settings" → "Privacy" → "Bluetooth
 Sharing" → "CASIO WATCHES" → On

Android Users

Enable Bluetooth.

Other than the above.

Some phones need to have BT Smart disabled to use CASIO WATCHES. For details about setting procedures, see your phone documentation.

On the Home Screen, tap: "Menu" →
"Settings" → "Bluetooth" → "Menu" →
"BT Smart settings" → "Disable".

I can't reconnect the watch and phone.

Q1 The watch will not re-connect with the phone after they are disconnected.

Is CASIO WATCHES running?

The watch cannot re-connect with the phone unless CASIO WATCHES is running on the phone. On the phone's Home Screen, tap the "CASIO WATCHES" icon. Then on the watch, hold down (B) until the second hand points to [C] twice.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



Have you tried turning your phone off and then back on again?

Turn the phone off and then back on, and then tap the "CASIO WATCHES" icon.

Next, on the watch, hold down (B) until the second hand points to [C] twice.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



Q2 I can't connect while my phone is in the Airplane Mode.

Connection with the watch is not possible while the phone is in the Airplane Mode. After exiting the phone's Airplane Mode, go to the phone's Home Screen and tap the "CASIO WATCHES" icon. Then on the watch, hold down (B) until the second hand points to [C] twice.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



Q3 I can't establish a connection after disabling the watch's auto time adjustment feature.

On the watch, enable auto time adjustment, and then hold down (B) until the second hand points to [C] twice.

- The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.
 - O Using CASIO WATCHES to Configure Settings
 - Using Watch Operations to Configure Settings



Q4 I changed the phone's Bluetooth from enabled to disabled, and now I can't connect anymore.

On the phone, turn Bluetooth off and then back on, and then tap the "CASIO WATCHES" icon on the Home Screen. Next, on the watch, hold down (B) for until the second hand points to [C] twice.

• The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



Q5 I can't connect after turning off the phone.

Turn on the phone and then tap the "CASIO WATCHES" icon. Next, on the watch, hold down (B) until the second hand points to [C] twice

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



Phone-Watch Connection

Q1 I can't establish a connection between the phone and watch.

Have you tried turning your phone off and then back on again?

Turn the phone off and then back on, and then tap the "CASIO WATCHES" icon.

Next, on the watch, hold down (B) until the second hand points to [C] twice.

 The second hand will point to [C] once after about 0.5 seconds, and then a second time after about 2.5 seconds.



Has the watch been re-paired with the phone?

After deleting pairing information from CASIO WATCHES, re-pair them.

- O Deleting Pairing Information from CASIO WATCHES
- \mathcal{P} 3 Pair the watch with a phone.

If you are unable to establish a connection...

Use the procedure below to delete the pairing information from the watch, and then re-pair the watch and phone.

- Deleting Pairing Information from the
 Watch
- Pair the watch with a phone.

Changing to a Different Phone Model

Q1 Connecting the current watch to another phone.

Pair the watch with the phone.

Off you purchase another phone

Auto Time Adjustment by Bluetooth Connection (Time Adjustment)

Q1 When does the watch adjust its time?

The watch will connect with the phone and perform auto time adjustment at around 12:30 a.m., 6:30 a.m., 12:30 p.m. and 6:30 p.m. The connection is automatically terminated after auto time adjustment is complete. Also, time signal auto receive will be performed if there has been no auto time adjustment based on connection between the watch and phone for more than one day.

Q2 Auto time adjustment is performed, but the time setting is not correct.

Is auto time adjustment not being performed according to its normal schedule?

Note that auto time adjustment is not performed for 24 hours after swapping of the Home Time and World Time, or after the time setting is adjusted manually on the watch. Auto time adjustment will resume 24 hours after either of the above operations is performed.

Is auto time adjustment enabled?

Auto time adjustment will not be performed at the scheduled times unless it is enabled. Enable auto time adjustment.

O Using the Watch in a Medical Facility or Aircraft

Q3 Time is not displayed correctly.

If your phone is unable to receive a signal because you are outside its service range or for some other reason, the watch may not be able to display the correct time. If this happens, connect the phone to its network and then adjust the time setting.

Q4 Time signal reception is not performed while watch is connected with a phone.

The watch does not receive a time signal for time correction while it is connected with a phone. However, time signal auto receive is performed if there has been no auto time adjustment based on connection between the watch and phone for more than one day.

Hand Movement and Indications

Q1 I don't know what mode the watch is in.

You can determine the current mode by checking the mode hand position. To navigate between modes, pull out the crown and press (A).

O Navigating Between Modes



Q2 The second hand is jumping at two-second intervals.

Battery power is low. Keep the watch exposed to light until it recharges sufficiently.

Charging

Q3 All hands are stopped and buttons do not work.

The battery is dead. Keep the watch exposed to light until it recharges sufficiently.

Charging

Q4 The hands suddenly start moving at high speed.

This is due to one of the reasons below, and does not indicate malfunction. Simply wait until normal hand movement resumes.

- The watch is recovering from a power saving state.
 - Power Saving
- A time calibration signal is being received and the time setting is being adjusted.
- O Time Adjustment Using a Time Signal
- Watch is connected with a phone to adjust its time setting.
 - Auto Time Adjustment
- **Q5** Hands are stopped and buttons do not work.

The watch is in the charge recovery mode. Wait until the recovery process is complete (for about 15 minutes). The watch will recover more quickly if you place it in a brightly lit location.

Q6 Why is the current time indicated by the watch is off by a certain amount of time (nine hours, three hours and 15 minutes, etc.)?

The city setting is not correct. Select the correct setting.

Setting a Home City

Q7 The current time indicated by the watch is off by one hour or 30 minutes.

The summer time setting is not correct. Select the correct setting.

O Configuring the Summer Time Setting (Home City)

Q8 The hand and/or day indicator are not aligned correctly.

Strong magnetism or impact can cause the hands and/or the indicator to go out of alignment. Adjust hand and/or day indicator alignment.

- Adjusting Hand and Day Indicator
 Alignment
- Check the information below to find out how to align the hands and/or day indicator manually.
 - Adjusting Hand and Day Indicator Alignment

Crown Operations

Q1 Nothing happens when I rotate the crown.

If you do not perform any operation for about two minutes after pulling out the crown (approximately 30 minutes in the case of hand and day indicator alignment), crown operations will automatically become disabled. Push the crown back in to its normal position and then pull it out again to re-enable crown operations.

O Using the Crown

Other

Q1 I can't find the information I need here

Visit the website below.

https://world.casio.com/support/